

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S16	2	"5872588".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/15 16:50
S17	971	(cable near2 modem) with (wireless or cordless)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 11:15
S18	147	725/111.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 11:08
S19	19	((cable near2 modem) with (wireless or cordless)) and 725/111.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 10:59
S20	8	((((cable near2 modem) with (wireless or cordless)) and 725/111.ccls.) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 11:16
S21	54	725/111.ccls. and (wireless or cordless)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 11:08
S22	23	(725/111.ccls. and (wireless or cordless)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 13:47
S23	2348	((cable near2 modem)or CM or (modulat\$3 with demod\$7)) with (wireless or cordless)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 11:16
S24	1140	((((cable near2 modem)or CM or (modulat\$3 with demod\$7)) with (wireless or cordless)) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 13:44
S25	44	(((((cable near2 modem)or CM or (modulat\$3 with demod\$7)) with (wireless or cordless)) and (@ad<="20000108" or @rlad<="20000108")) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 11:16

S26	22	("3995120" "4747160" "4813040" "5388101" "5432779" "5499047" "5511236" "5528582" "5598148" "5600636" "5666358" "5706048" "5719872" "5732076" "5768269" "5793759" "5802046" "5805203" "5809395" "5867485" "5930262" "6006069").PN.	USPAT	OR	OFF	2003/07/31 13:34
S27	1140	((((cable near2 modem)or CM or (modulat\$3 with demod\$7)) with (wireless or cordless)) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 13:45
S28	349	(((((cable near2 modem)or CM or (modulat\$3 with demod\$7)) with (wireless or cordless)) and (@ad<="20000108" or @rlad<="20000108")) and ("709"/\$ or "370"/\$ or "348"/\$ or "345"/\$). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 13:47
S29	349	(((((cable near2 modem)or CM or (modulat\$3 with demod\$7)) with (wireless or cordless)) and (@ad<="20000108" or @rlad<="20000108")) and ("709"/\$ or "370"/\$ or "348"/\$ or "345"/\$). ccls.) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 14:10
S30	82	(((((cable near2 modem)or CM or (modulat\$3 with demod\$7)) with (wireless or cordless)) and (@ad<="20000108" or @rlad<="20000108")) and ("709"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 13:47
S31	82	(((((cable near2 modem)or CM or (modulat\$3 with demod\$7)) with (wireless or cordless)) and (@ad<="20000108" or @rlad<="20000108")) and ("709"/\$).ccls.) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 14:10
S32	67	725/111.ccls. and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:44
S33	166	hylton.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 14:30
S34	7	hylton.in. and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 14:37
S35	63	725/81.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 14:38
S36	40	725/81.ccls. and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:39

S37	11682	((cable with modem) or (modulator\$1 with demodulator\$1)) same (connect\$4 or interfac\$1 or link)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:41
S38	8802	((cable with modem) or (modulator\$1 with demodulator\$1)) with (connect\$4 or interfac\$1 or link)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:41
S39	6214	((cable with modem) same (connect\$4 or interfac\$1 or link))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:42
S40	3192	((cable with modem) same (connector\$1 or interfac\$1 or plug))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:48
S41	49132	(wireless with (device or module or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:43
S42	15959	((wireless with (device or module or unit))with (connect\$3 or interface or plug))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:44
S43	498	((((cable with modem) same (connector\$1 or interfac\$1 or plug))) and (((wireless with (device or module or unit))with (connect\$3 or interface or plug))))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:44
S44	155	(((((cable with modem) same (connector\$1 or interfac\$1 or plug))) and (((wireless with (device or module or unit))with (connect\$3 or interface or plug)))) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:49
S45	102	((((cable with modem)with external) same (connector\$1 or plug))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 17:49
S46	79	(((((cable with modem)with external) same (connector\$1 or plug))) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 19:32
S47	12	(((((cable with modem)with external) same (connector\$1 or plug))) and (@ad<="20000108" or @rlad<="20000108"))and (CATV or twisted or co\$1axial or co\$1ax)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:11
S48	59	"5408614".URPN.	USPAT	OR	OFF	2003/07/31 18:26

S49	9	((cable near2 modem) same MAC same (adapter\$1 or connector\$1 or plug)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 19:46
S50	7	((cable near2 modem)with external) same MAC) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 19:49
S51	13	((cable near2 modem) same MAC same wireless) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 19:49
S52	116	((cable near2 modem) same MAC) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 19:52
S53	55	((cable near2 modem) same MAC same (connector\$1 or adapt\$5 or interfac\$1)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 19:54
S54	22	((cable near2 modem) same MAC same (connector\$1 or adapt\$5 or plug)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:00
S55	2	"6169569".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:10
S56	2	"6169569".URPN.	USPAT	OR	OFF	2003/07/31 20:00
S57	31	("4271529" "4562472" "4750036" "5126840" "5255086" "5317392" "5329370" "5355162" "5385400" "5421030" "5425027" "5437051" "5485221" "5539822" "5544164" "5550820" "5553838" "5557319" "5654774" "5745838" "5752179" "5761602" "5768280" "5790806" "5812928" "5822324" "5838268" "5898900" "5926479" "5930696" "6011597").PN.	USPAT	OR	OFF	2003/07/31 20:01
S58	2506	ethernet with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:11
S59	51	((ethernet near2 (card or module or device)) with wireless) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:14

S60	13	((ethernet near2 (card or module or device)) with wireless) and (@ad<="20000108" or @rlad<="20000108")and (CATV or twisted or co\$1axial or co\$1ax)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:14
S61	27	((ethernet near2 (card or module or device)) with wireless) and (@ad<="20000108" or @rlad<="20000108")and LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:35
S62	7	((Ethernet near2 'base T') with wireless)and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:28
S63	25	((Ethernet near2 'base T') same wireless)and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:28
S64	18	((Ethernet near2 'base T') same wireless)and (@ad<="20000108" or @rlad<="20000108")) not (((Ethernet near2 'base T') with wireless)and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:00
S65	178	(ethernet near2 (card or module or device)) with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:35
S66	149	(ethernet near2 (card or module or adapter)) with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:35
S67	43	((ethernet near2 (card or module or adapter)) with wireless) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:51
S68	0	((ethernet near2 connector)with wireless) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:51
S69	168	((ethernet near2 (interface\$1 or adapter or connector)same wireless)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:52
S70	46	((ethernet near2 (interface\$1 or adapter or connector)with wireless)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/31 20:52

S71	1	"0862294".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 11:54
S72	2	"0862294"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 11:54
S73	4	"5930247"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 11:59
S74	568	((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device)))with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 13:04
S75	28	((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device)))with wireless) same (cable near2 modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 12:43
S76	8	((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device)))with wireless) same (cable near2 modem)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 12:44
S77	37	((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device)))same wireless) same (cable near2 modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 12:50
S78	9	((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device)))same wireless) same (cable near2 modem)) not (((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device)))with wireless) same (cable near2 modem))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 12:43
S79	9	((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device)))same wireless) same (cable near2 modem)) not (((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device)))with wireless) same (cable near2 modem))) not (((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device)))with wireless) same (cable near2 modem)) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 12:44

S80	6	(((((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device))))same wireless) same (cable near2 modem)) not (((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device))))with wireless) same (cable near2 modem))) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 13:06
S81	6	(((((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device))))same wireless) same (cable near2 modem)) not (((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device))))with wireless) same (cable near2 modem))) and (@ad<="20000108" or @rlad<="20000108")) not (((ethernet adj card) or ((expansion or extension or attached)near2 (unit or device))))with wireless) same (cable near2 modem)) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 12:44
S82	271	((((card) or ((expansion or extension or attached)near2 (unit or device))))same wireless) same (cable near2 modem))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 12:51
S83	110	((((card) or ((expansion or extension or attached)near2 (unit or device))))with wireless) same (cable near2 modem))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 12:51
S84	33	(((((card) or ((expansion or extension or attached)near2 (unit or device))))with wireless) same (cable near2 modem)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 13:03
S85	115	((((card or ((expansion or extension or attached or adapt\$3)near2 (unit or device or adapt\$3))))with wireless)same (cable near2 modem\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 13:03
S86	33	(((((card or ((expansion or extension or attached or adapt\$3)near2 (unit or device or adapt\$3))))with wireless)same (cable near2 modem\$1)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 13:04
S87	388	(cable near2 modem) same ((card\$1 or adapt\$5)or ((expansion or extension) near2 (unit or device or adapt\$3))) same wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 13:06
S88	105	((cable near2 modem) same ((card\$1 or adapt\$5)or ((expansion or extension) near2 (unit or device or adapt\$3))) same wireless) and (@ad<="19990805" or @rlad<="19990805")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:19

S89	2	"5822307".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 14:51
S90	0	"5822307".pn. and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 15:53
S91	0	"5822307".pn. and modulator	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 14:51
S92	2	"5822307".pn. and 'local area network'	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 16:16
S93	2	"5390181".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 16:58
S94	954	(bit near3 rate\$1) with (data near3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 16:59
S95	63	((bit near3 rate\$1) with (data near3 control\$4))with level	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 16:59
S96	52	((((bit near3 rate\$1) with (data near3 control\$4))with level) and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:10
S97	494	((control\$3 or adjust\$3)near3 transmi\$7) near10 (error near2 rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:06
S98	2	((((control\$3 or adjust\$3)near3 transmi\$7) near10 (error near2 rate\$1))same LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:09
S99	168	((adjust\$3 with transmi\$7) near10 (error near2 rate\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:10

S10 0	59	((adjust\$3 with output) near10 (error near2 rate\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:26
S10 1	129	((adjust\$3 with transmi\$7) near10 (error near2 rate\$1))) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:10
S10 2	49	((adjust\$3 with output) near10 (error near2 rate\$1))) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:17
S10 3	156	(error near4 measur\$5) near10 ((output or transfer\$4)near2 (rate or level))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:18
S10 4	17	((error near4 measur\$5) near10 ((output or transfer\$4)near2 (rate or level))) and (@ad<="19990805" or @rlad<="19990805")and cable	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:28
S10 5	11390	((transmi\$4 or output or encod\$3) near3 (rate or level or speed\$3))with (error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:28
S10 6	2329	((transmi\$4 or output or encod\$3) near3 (rate or level or speed\$3))with (error\$1 near2 rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:28
S10 7	231	((transmi\$4 or output or encod\$3) near3 (rate or level or speed\$3))with (error\$1 near2 rate\$1)) and (@ad<="19990805" or @rlad<="19990805")and cable	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:30
S10 8	445	((transmi\$4 or output or encod\$3)near2 data) near3 (rate or level or speed\$3))with (error\$1 near2 rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:29
S10 9	1542	((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:32
S11 0	140	((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1)) and (@ad<="19990805" or @rlad<="19990805")and cable	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:33

S11 1	283	((((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1))same (adjust\$3 or chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 18:07
S11 2	224	(((((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1))same (adjust\$3 or chang\$3)) and (@ad<="19990805" or @rlad<="19990805"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 18:04
S11 3	24	(((((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1))same (adjust\$3 or chang\$3)) and (@ad<="19990805" or @rlad<="19990805"))and cable	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 19:17
S11 4	7	("5155590" or "4816825" or "4554479").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:42
S11 5	2	"4554579".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 17:44
S11 6	200	(((((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1))same (adjust\$3 or chang\$3)) and (@ad<="19990805" or @rlad<="19990805")) not (((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1))same (adjust\$3 or chang\$3)) and (@ad<="19990805" or @rlad<="19990805"))and cable)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 18:05
S11 7	160	((((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1))with (adjust\$3 or chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 18:07
S11 8	139	((((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1))near20 (adjust\$3 or chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 18:07
S11 9	118	(((((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1))near20 (adjust\$3 or chang\$3)) and (@ad<="19990805" or @rlad<="19990805"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 18:13
S12 0	30	(((((transmi\$4 or output or encod\$3) near2 (rate or level or speed\$3))with (error\$1 near2 rate\$1))near20 (adjust\$3 or chang\$3)) and (@ad<="19990805" or @rlad<="19990805"))and ((predetermined or threshold)near2 (level or rate))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 18:14

S12 1	5	(cable adj modem) same (expansion near2 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/08/04 19:18
S12 2	34	((modem with cable) same ((wireless or cordless or air or antenna) near10 LAN)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/09 11:53
S12 3	17	naiff.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/09 11:56
S12 4	630	wireless near2 adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/09 11:57
S12 5	140	(wireless near2 adapter) with modem	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/09 11:57
S12 6	38	((wireless near2 adapter) with modem) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/09 12:25
S12 7	42	725/81.ccls. and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/09 12:25
S12 8	24	725/81.ccls. and (@ad<="20000108" or @rlad<="20000108")and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/09 12:47
S12 9	32	725/78,80,82.ccls. and (@ad<="20000108" or @rlad<="20000108")and modem and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/09 12:47
S13 0	24	("5010399" "5130793" "5321846" "5630204" "5708961" "5756280" "5774527" "5781892" "5790548" "5847751" "5880864" "5886732" "5886752" "5892758" "6219042" "6219409" "6230194" "6272212" "6308213" "6317742" "6317884" "6385653" "6388399" "6452923").PN.	USPAT	OR	OFF	2004/06/09 13:05
S13 1	1585	(wireless near3 (adapt\$3 or expansion)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:10

S13 2	81	(wireless near3 (adapt\$3 or expansion))same cable and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:10
S13 3	18	(wireless near3 (adapt\$3 or expansion))same cable same modem and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:25
S13 4	19	(wireless near3 (adapt\$3 or expansion or extension))same cable same modem and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:25
S13 5	1	((wireless near3 (adapt\$3 or expansion or extension))same cable same modem and (@ad<="20000108" or @rlad<="20000108")) not ((wireless near3 (adapt\$3 or expansion))same cable same modem and (@ad<="20000108" or @rlad<="20000108"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:25
S13 6	15	(wireless near3 (adapt\$3 or expansion))same cable same (hub or server or head\$1end or 'head end' or CO) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:26
S13 7	15	(wireless near3 (adapt\$3 or expansion))same cable same (hub or substation or server or head\$1end or 'head end' or CO) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:26
S13 8	17	(wireless near3 (adapt\$3 or expansion))same cable same (hub or substation or node or server or head\$1end or 'head end' or CO) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:30
S13 9	18808001	(wireless near3 (extension or attached or expansion or adapt\$3))(@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:31
S14 0	18805166	(wireless near3 (extension or attached or expansion or adapt\$3))same modem\$1 (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:33
S14 1	18806623	remov\$5 with wireless) (@ad<="20000108" or @rlad<="20000108"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:35
S14 2	1226	(remov\$5 with wireless) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:35

S14 3	90	(remov\$5 with wireless)same cable and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:36
S14 4	60	(remov\$5 near10 wireless)same cable and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/13 20:41
S14 5	9	(remov\$5 near10 (wireless near3 (adapt\$3 or expansion))) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/14 10:57
S14 6	2	gresham.in. and WA	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/14 10:58
S14 7	221	(wireless\$3 near2 (expansion or adapt\$3)) same cable	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/14 10:59
S14 8	65	(wireless\$3 near2 (expansion or adapt\$3)) near10 cable	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/14 11:50
S14 9	24	((wireless\$3 near2 (expansion or adapt\$3)) near10 cable) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/14 11:51
S15 0	58	(wireless\$3 near2 (expansion or adapt\$3)) near10 (detach\$3 or attach\$3 or remov\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/14 11:51
S15 1	25	((wireless\$3 near2 (expansion or adapt\$3)) near10 (detach\$3 or attach\$3 or remov\$5)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/14 18:18
S15 2	1	"5982363".pn. and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/14 18:59
S15 3	8	("4761684" "5089885" "5101499" "5192999" "5589892" "5635979" "5650831" "5790201").PN.	USPAT	OR	OFF	2004/06/14 18:48
S15 4	12	"5982363".URPN.	USPAT	OR	OFF	2004/06/14 18:51

S15 5	4	Hendricks.in. and 'file server 215'	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/15 15:15
S15 6	2	"5903314".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/06/15 11:42
S16 3	274	(wireless near2 adapter) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 19:32
S16 4	53	(wireless near2 adapter) same modem and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:36
S16 5	0	(wireless near2 adapter) same "CATquangminhusa@dng.vnn.vn" and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:37
S16 6	0	(wireless near2 adapter) same "CATv" and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:37
S16 7	0	(wireless near2 adapter) same CATv and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:39
S16 8	0	(wireless near2 adapter) same CATV and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:39
S16 9	133	(wireless near2 adapter) and (cable or CATV) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:39
S17 0	133	(wireless near2 adapter) and (cable or CATV) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:39
S17 1	75	(wireless near2 adapter) and (cable or CATV) and modem and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:54

S17 2	8	(wireless near2 adapter) and (cable or CATV) and modem and adjust\$3 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:40
S17 3	18855105	((BER same adjuster)(@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:54
S17 4	3	((BER same adjuster) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:56
S17 5	169035	((BER or rate or quality) same adjust\$3) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:56
S17 6	22515	((BER or (bit near2 rate\$1) same adjust\$3)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:57
S17 7	1404	((BER or (bit near2 rate\$1) same adjust\$3)) same quality and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:57
S17 8	7	((BER or (bit near2 rate\$1) same adjust\$3)) same quality same (cable or CATV) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 20:59
S17 9	146	((BER or (bit near2 rate\$1) same adjust\$3)) same (cable or CATV)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 21:00
S18 0	146	((BER or (bit near2 rate\$1) same adjust\$3) same (cable or CATV)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 21:01
S18 1	30	((BER or (bit near2 rate\$1)) same adjust\$3 same (cable or CATV)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 21:08
S18 2	42	((BER or (bit near2 rate\$1)) same adjuster and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 11:00

S18 3	2	"20040107439".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 11:00
S18 4	2	(wireless near2 router) same adapter and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:39
S18 5	108	(wireless near4 rout\$3) same adapt\$3 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:45
S18 6	0	(wireless near4 rout\$3) same adapt\$3 and (@ad<="20000108" or @rlad<="20000108") and linksys	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:41
S18 7	40	linksys	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:40
S18 8	32	linksys and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:42
S18 9	2	S188 and (@ad<="20000108" or @rlad<="20000108") and linksys	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:41
S19 0	2	S188 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:13
S19 1	82	(wireless near4 rout\$3) same adapt\$3 and LAN\$1 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:58
S19 2	707	(wireless near4 adapt\$3) and LAN\$1 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:58
S19 3	198	(wireless near4 adapt\$3) same (HAN or WAN or LAN\$1 or MAN) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:59

S19 4	198	((wireless near4 adapt\$3) same (HAN or WAN or LAN\$1 or MAN)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 20:59
S19 5	157	((wireless near3 adapt\$3) same (HAN or WAN or LAN\$1 or MAN)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:02
S19 6	27	((wireless near3 adapt\$3) same (HAN or WAN or LAN\$1 or MAN) same modem\$1) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:10
S19 7	2	"6377981".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:11
S19 8	587	(transfer near3 rate\$1) same (BER or (error near2 rate\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:11
S19 9	405	(transfer near3 rate\$1) with (BER or (error near2 rate\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:12
S20 0	4	(transfer near3 rate\$1) with (BER or (error near2 rate\$1)) with minimum	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:12
S20 1	28	(transfer near3 rate\$1) same (BER or (error near2 rate\$1)) same threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:17
S20 2	14	S201 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:18
S20 3	109	(transfer\$3 near3 rate\$1) same (BER or (error near2 rate\$1)) same quality	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:20
S20 4	56	S203 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:23

S20 5	96	(transfer\$3 near3 rate\$1) same (BER or (error near2 rate\$1)) same (threshold or limit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:22
S20 6	18	(transfer\$3 near3 rate\$1) same (BER or (error near2 rate\$1)) same (threshold or limit\$3) same (maximum or max or min or minimum)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:23
S20 7	5	S206 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:26
S20 8	18857192	22and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:26
S20 9	49	S205 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:40
S21 0	2065	((max or maximum) near2 (transfer near2 rate\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:38
S21 1	2	((max or maximum) near2 (transfer near2 rate\$1)) same (BER\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:39
S21 2	4	725/107,124,125.ccls. and transfer near3 rate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:40
S21 3	102	725/107,124,125.ccls. and (rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:42
S21 4	69	S213 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:41
S21 5	27	S213 and (@ad<="20000108" or @rlad<="20000108") and (BER\$1 or (error near2 rate\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:42

S21 6	9	725/107,124,125.ccls. and ((max or maximum or highest) near3 rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/22 21:42
S21 7	3	S216 and (@ad<="20000108" or @rlad<="20000108") and (BER\$1 or (error near2 rate\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/23 12:54
S21 8	108	370/332,333.ccls. and (BER\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/23 12:54
S21 9	50	370/332,333.ccls. and (((BER\$1 or (error near2 rate\$1))) with (max or maximum or min or minimum)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/23 12:56
S22 0	24	S219 and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/23 12:56
S22 1	0	((370/485,486,463,419,333,252,338.ccls.) or 375/222.ccls.) and ((BER\$1 or (bit near2 error\$1)) same (transfer\$3 near3 rate\$1)) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/02 11:33
S22 2	607	((370/485,486,463,419,333,252,338.ccls.) or 375/222.ccls.) and ((BER\$1 or (bit near2 error\$1))) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/02 11:33
S22 3	238	((370/485,486,463,419,333,252,338.ccls.) or 375/222.ccls.) and ((BER\$1 or (bit near2 error\$1))) and (transfer\$3 or transmit\$3) near3 (rate\$1) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/02 11:33
S22 4	37	((370/485,486,463,419,333,252,338.ccls.) or 375/222.ccls.) and ((BER\$1 or (bit near2 error\$1)) same ((transfer\$3 or transmit\$3)near2 rate\$1) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/02 11:56
S22 5	46	((370/485,486,463,419,333,252,338.ccls.) or 375/222.ccls.) and ((BER\$1 or (bit near2 error\$1)) same (maximum near5 rate\$1) and (@ad<="20000108" or @rlad<="20000108")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/02 11:57